

SID

Factory: Rot am See

Article:

ML16

Provided:

Customer:

Date:

24.04.2026



**WURTH
ELEKTRONIK**
MORE THAN
YOU EXPECT

Processtechnology: B: undefined

Material Text	Mat. Nr.	µm	Stackup	Process overview
---------------	----------	----	---------	------------------

A-RS Kupferfolie-018my 330x490mm	50200238	18	VS	1	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	167		2	
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	0		3	
		18	L2		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		4	A01
		18	L3		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	160		5	
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	0		6	
		18	L4		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		7	A02
		18	L5		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	160		8	
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	0		9	
		18	L6		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		10	A03
		18	L7		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	160		11	
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	0		12	
		18	L8		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		13	A04
		18	L9		
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	160		14	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		15	
		18	L10		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		16	A05
		18	L11		
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	160		17	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		18	
		18	L12		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		19	A06
		18	L13		
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	160		20	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		21	
		18	L14		
B-RS-FR4-ML-0.107mm-018+018-TG150-HF-...	50203004	107		22	A07
		18	L15		
C-RAS-FR4-PP-106-H71-TG150-HF-EM-37B(...	50202996	167		23	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		24	
A-RS Kupferfolie-018my 330x490mm	50200238	18	RS	25	

B00

Thickness after Pressing B00: 2290 µm Tol+: 240 µm Tol-: 240 µm Dmax: 2530 µm Dmin: 2050 µm

Thickness over all 0 µm Tol+: 0 µm Tol-: 0 µm Dmax: 0 µm Dmin: 0 µm

Demand for customer Thickness (D): 2400 µm Tol+: 240 µm Tol-: 240 µm Dmax: 2640 µm Dmin: 2160 µm

Measuring point: (05) over SM and galv. Cu; both sides nominal: 2331 µm

Version 1.2.20.35

© Würth Elektronik