

SID

Factory: Rot am See

Article:

ML16

Provided:

Customer:

Date:

24.04.2026



**WURTH
ELEKTRONIK**
MORE THAN
YOU EXPECT

Processtechnology: B: undefined

Material Text	Mat. Nr.	µm	Stackup	Process overview
---------------	----------	----	---------	------------------

A-RS Kupferfolie-018my 330x490mm	50200238	18	VS	1	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	267		2	
A-RAS-FR4-PP-7628-H45-TG150-HF-EM-37B...	50203002	0		3	
		18	L2		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		4	A01
		18	L3		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		5	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		6	
		18	L4		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		7	A02
		18	L5		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		8	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		9	
		18	L6		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		10	A03
		18	L7		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		11	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		12	
		18	L8		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		13	A04
		18	L9		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		14	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		15	
		18	L10		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		16	A05
		18	L11		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		17	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		18	
		18	L12		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		19	A06
		18	L13		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		20	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		21	
		18	L14		
C-RS-FR4-ML-0.203mm-018+018-TG150-HF-...	50203027	203		22	A07
		18	L15		
A-RAS-FR4-PP-7628-H45-TG150-HF-EM-37B...	50203002	254		23	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		24	
A-RS Kupferfolie-018my 330x490mm	50200238	18	RS	25	

B00

Thickness after Pressing B00: 3090 µm Tol+: 320 µm Tol-: 320 µm Dmax: 3410 µm Dmin: 2770 µm

Thickness over all 0 µm Tol+: 0 µm Tol-: 0 µm Dmax: 0 µm Dmin: 0 µm

Demand for customer Thickness (D): 3200 µm Tol+: 320 µm Tol-: 320 µm Dmax: 3520 µm Dmin: 2880 µm

Measuring point: (05) over SM and galv. Cu; both sides nominal: 3064 µm

Version 1.2.20.35

© Würth Elektronik