

SID

Factory: Rot am See

Article:

ML8

Provided:

Customer:

Date:

03.04.2026

WÜRTH
ELEKTRONIK
MORE THAN
YOU EXPECT

Processtechnology: B: undefined

| Material Text | Mat. Nr. | µm | Stackup | Process overview |
|---------------|----------|----|---------|------------------|
|---------------|----------|----|---------|------------------|

| | | | | | |
|--|----------|-----|----|----|-----|
| A-RS Kupferfolie-018my 330x490mm | 50200238 | 18 | VS | 1 | |
| C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B... | 50203001 | 192 | | 2 | |
| C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B... | 50203000 | 0 | | 3 | |
| | | 18 | L2 | | |
| B-RS-FR4-ML-0.711mm-018+018-TG150-HF-... | 50203033 | 711 | | 4 | A01 |
| | | 18 | L3 | | |
| C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B... | 50203001 | 231 | | 5 | |
| C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B... | 50203001 | 0 | | 6 | |
| | | 18 | L4 | | |
| B-RS-FR4-ML-0.711mm-018+018-TG150-HF-... | 50203033 | 711 | | 7 | A02 |
| | | 18 | L5 | | |
| C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B... | 50203001 | 231 | | 8 | |
| C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B... | 50203001 | 0 | | 9 | |
| | | 18 | L6 | | |
| B-RS-FR4-ML-0.711mm-018+018-TG150-HF-... | 50203033 | 711 | | 10 | A03 |
| | | 18 | L7 | | |
| C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B... | 50203001 | 192 | | 11 | |
| C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B... | 50203000 | 0 | | 12 | |
| A-RS Kupferfolie-018my 330x490mm | 50200238 | 18 | RS | 13 | |

Thickness after Pressing

B00:

3090 µm

Tol+:

320 µm

Tol-:

320 µm

Dmax:

3410 µm

Dmin:

2770 µm

Thickness over all

0 µm

Tol+:

0 µm

Tol-:

0 µm

Dmax:

0 µm

Dmin:

0 µm

Demand for customer

Thickness (D):

3200 µm

Tol+:

320 µm

Tol-:

320 µm

Dmax:

3520 µm

Dmin:

2880 µm

Measuring point: (05) over SM and galv. Cu; both sides

nominal:

3123 µm

Version 1.2.20.35

© Würth Elektronik