

SID

Factory: Rot am See

Article:

ML10

Provided:

Customer:

Date:

03.04.2026

WÜRTH
ELEKTRONIK
MORE THAN
YOU EXPECT

Processtechnology: B: undefined

Material Text	Mat. Nr.	µm	Stackup	Process overview
---------------	----------	----	---------	------------------

A-RS Kupferfolie-018my 330x490mm	50200238	18	VS	1	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	238		2	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		3	
		18	L2		
A-RS-FR4-ML-0.508mm-018+018-TG150-HF-...	50203031	508		4	A01
		18	L3		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		5	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		6	
		18	L4		
A-RS-FR4-ML-0.508mm-018+018-TG150-HF-...	50203031	508		7	A02
		18	L5		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		8	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		9	
		18	L6		
A-RS-FR4-ML-0.508mm-018+018-TG150-HF-...	50203031	508		10	A03
		18	L7		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	139		11	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		12	
		18	L8		
A-RS-FR4-ML-0.508mm-018+018-TG150-HF-...	50203031	508		13	A04
		18	L9		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	238		14	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		15	
A-RS Kupferfolie-018my 330x490mm	50200238	18	RS	16	

B00:

Thickness after Pressing

B00:

3090 µm

Tol+:

320 µm

Tol-:

320 µm

Dmax:

3410 µm

Dmin:

2770 µm

Thickness over all

0 µm

Tol+:

0 µm

Tol-:

0 µm

Dmax:

0 µm

Dmin:

0 µm

Demand for customer

Thickness (D):

3200 µm

Tol+:

320 µm

Tol-:

320 µm

Dmax:

3520 µm

Dmin:

2880 µm

Measuring point: (05) over SM and galv. Cu; both sides

nominal:

3105 µm

Version 1.2.20.35

© Würth Elektronik