

SID

Factory: Rot am See

Article:

ML10

Provided:

Customer:

Date:

03.04.2026

WÜRTH
ELEKTRONIK
MORE THAN
YOU EXPECT

Processtechnology: B: undefined

Material Text		Mat. Nr.	µm		Stackup	Process overview
A-RS	Kupferfolie-035my 330x490mm	50200242	35	VS	1	B00
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	262			2	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0			3	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0			4	
C-RS-FR4-ML-0.305mm-035+035-TG150-HF-...	50203020	35	L2	5	A01	
		305				
		35	L3			
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	339		6		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		7		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		8		
C-RS-FR4-ML-0.305mm-035+035-TG150-HF-...	50203020	35	L4	9	A02	
		305				
		35	L5			
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	339		10		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		11		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		12		
C-RS-FR4-ML-0.305mm-035+035-TG150-HF-...	50203020	35	L6	13	A03	
		305				
		35	L7			
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	339		14		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		15		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		16		
C-RS-FR4-ML-0.305mm-035+035-TG150-HF-...	50203020	35	L8	17	A04	
		305				
		35	L9			
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	262		18		
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		19		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		20		
A-RS	Kupferfolie-035my 330x490mm	50200242	35	RS	21	

Thickness after Pressing

B00:

3090 µm

Tol+:

320 µm

Tol-:

320 µm

Dmax:

3410 µm

Dmin:

2770 µm

Thickness over all

0 µm

Tol+:

0 µm

Tol-:

0 µm

Dmax:

0 µm

Dmin:

0 µm

Demand for customer

Thickness (D):

3200 µm

Tol+:

320 µm

Tol-:

320 µm

Dmax:

3520 µm

Dmin:

2880 µm

Measuring point: (05) over SM and galv. Cu; both sides

nominal:

3111 µm

Version 1.2.20.35

© Würth Elektronik