

SID

Factory: Rot am See

Article:

ML6

Provided:

Customer:

Date:

03.04.2026

**WÜRTH
ELEKTRONIK**
MORE THAN
YOU EXPECT

Processtechnology: B: undefined

Material Text	Mat. Nr.	µm	Stackup	Process overview
---------------	----------	----	---------	------------------

A-RS Kupferfolie-070my 330x490mm	50200246	70	VS	1	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	229		2	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		3	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		4	
		105	L2		
C-RaS-FR4-ML-0.508mm-105+105-TG150-HF...	50203129	510		5	A01
		105	L3		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	50		6	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	205		7	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		8	B00
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	50		9	
		105	L4		
C-RaS-FR4-ML-0.508mm-105+105-TG150-HF...	50203129	510		10	A02
		105	L5		
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	229		11	
C-RAS-FR4-PP-2116-H53-TG150-HF-EM-37B...	50203001	0		12	
C-RAS-FR4-PP-1080-H63-TG150-HF-EM-37B...	50203000	0		13	
A-RS Kupferfolie-070my 330x490mm	50200246	70	RS	14	

Thickness after Pressing

B00:

2290 µm

Tol+:

240 µm

Tol-:

240 µm

Dmax:

2530 µm

Dmin:

2050 µm

Thickness over all

0 µm

Tol+:

0 µm

Tol-:

0 µm

Dmax:

0 µm

Dmin:

0 µm

Demand for customer

Thickness (D):

2400 µm

Tol+:

240 µm

Tol-:

240 µm

Dmax:

2640 µm

Dmin:

2160 µm

Measuring point: (05) over SM and galv. Cu; both sides

nominal:

2343 µm

Version 1.2.20.35

© Würth Elektronik